



NOTE :

1. ALL DIMENSIONS ARE IN MILLIMETERS UNLESS OTHERWISE SPECIFIED.
2. INTERNAL WELD SHALL BE COMPLETELY SEAL WELDED GROUND SMOOTH AND FREE FROM SURFACE POROSITY, POCKETS AND HIGH SPOTS.

2		ANCHOR BOLT/3N/2W	ASTM A307 Gr.B / A563 Gr.A	12		M30x9TOL	
1	-2	GUSSET PLATE	ASTM A36	24			t14
	-1	TOP PLATE	ASTM A36	12			t20
ITEM NO.	NAME OF PART		MATERIAL	QTY	CONST & 2 YEARS COVWL OPER	UNIT (EA)	REMARKS
PART CODE					SPARE		

(1) SET TO BE MANUFACTURED

REVISIONS											
	B	30/04/26		ISSUED FOR APPROVAL		INK	HER	DS	HK	MS	-
	A	04/03/26		ISSUED FOR APPROVAL		INK	HER	DS	HK	MS	-
	REV	DATE		DESCRIPTION		DRN	CKD	DESIGN ENG	LEAD ENG	PROJ APP	CLIENT APPT



	NAME	DATE
DRAWN	INKO	04/03/20
CHECKED	-	-
DESIGN ENG	-	-
LEAD ENG	-	-
PROJ APP'D	-	-
CLIENT	-	-



PT.HANAZONO ENGINEERING INDONESIA

L2, 38 RICHARDSON ST WEST PERTH,
WESTERN AUSTRALIA 6005
+61 8 9432 0100
www.comoeng.com.au


ESIA	TITLE POBOYO 2000 TPD EXPANSION PROJECT FILTER PRESS AREA CLEAN WATER TANK (4800-TK-122) DETAIL OF ANCHOR BOLT & CHAIR
------	--

PLOT SCALE
AS-SHOWN

NEITHER THIS DOCUMENT NOR ITS
CONTENTS MAY BE USED OR © COPYRIGHT
REPRODUCED IN ANY MANNER
WITHOUT WRITTEN AUTHORIZATION.

CLIENT NUM		HNZ-V-PT0061.08-4800-STR-DWG-516	
PROJ NUM		E2602	SHT: 1 OF
MARK NUM	DRG NUM		
-	E2602-4800-DWG-516		

END ANGLE
SECTION



SHEET